



WITH DISTRIBUTION IN OVER 88 COUNTRIES, RHEEM IS A LEADER IN HEATING, COOLING AND WATER HEATING SOLUTIONS







GREAT ON THE



HEATING & COOLING



POOL & SPA




REFRIGERATION





HIST^oRY



















2000-2005

1980-1990 2000-2005

Rheem enters "Home Depot"

1889 1920-1960

Edwin Ruud creates the first gas automatic storage WH patent in 1890 Automatic Gas Storage WH production

1970

WHD HQ established in Montgomery, Alabama Paloma Japan bought Rheem & Rheem acquires Raypak





HIST^oRY









2017

to Atlanta

WH HQ moves







2009-10

Condensing Tankless 2013

Acquired HTPG & CEM (SA)

2015

Acquired Eemax

3rd Gen HPWH

WH Consolidation to MGM, AL

Condensing Boilers Launched Triton Commercial 2019

Acquired Intergas 2022

Acquired De Jong 2023

Acquired MHG

Mexico R&D Lab

Opened

Launched Next Gen. HPWH Acquired Peter Cocks



GLOBAL BRAND

ACTIONIN





















































































INNOVATION

RHEEM PRODUCT DEVELOPMENT

Rheem takes a holistic 360° approach to product design, paying attention to the smallest detail to deliver the ultimate consumer product experience and dealer installation & serviceability experience.



Central to Rheem product design is our emphasis on key areas :



360° Performance[™]



360° Serviceability™




360° Durability™















High-performance, exceptional; fits every need.



X WELL TM RANGE

- Vietnam
- 15L 30L
- Incoloy Heating Element
- R-Foam insulation
- Safety Cut Off
- Rheem HD+ Anode
- IP24 Water Resistance
- Automatic thermostat



















RHPOU Series

- United Arab Emirates
- Vertical: 30L 100L
- Horizontal: 30L-100L
- Copper heating element 0.6Kw to 2.0KW
- Polyurethane foam insulation
- Safety Cut Off
- Glass lining for inner tank
- Magnesium anod rod.
- 8 bar working pressure













RH-FRX
Series

- EGYPT
- Vertical: 30L
- Horizontal: 50L-100L
- Copper heating element 1.2Kw to 2.0KW
- Standard Pressure relief tank
- Degree of Protection IPX4
- Glass lining for inner tank
- Magnesium anod rod.
- 8.5 bar working pressure





High-performance, exceptional flow and highly durable - ideal for residential and leisure sectors.

RUEP RANGE



- Mexico
- 15G 30G
- Incoloy 800 HE
- R-Foam insulation
- ASME T&P
- Magnesium Anode
- Factory wall mounting bracket
- Automatic thermostat















Market-leading series of Central Electric Water Heaters designed for direct hot water production.



FURY RANGE

RELIABLE, HIGH-QUALITY PERFORMANCE

- Mexico/USA
- 30G 120G
- Incoloy HE
- Porcelain enamel lined
- ASME T&P
- Magnesium Anode
- Polyurethane insulation
- Automatic thermostat















High Efficiency Central Electric Water Heaters designed for commercial applications.

HEAVY DUTY ELECTRIC



- USA
- 50G 175G
- Up to 98% Thermal efficiency
- High recovery rates of up to 438G
- Stainless steel/Glass Lined
- ASME T&P
- 2 x Magnesium Anode











High-Capacity Central Electric Water Heaters for commercial applications.

COMMERCIAL ELECTRIC





- LVC: USA (200-1500G)
- RU-EVR: Turkey (200-2500G)
- Up to 98% Thermal efficiency
- Horizontal or Vertical Orientation
- Stainless steel/Glass Lined
- ASME T&P
- 2 x Magnesium Anode









On demand; consistent and continuous hot water.

PROFESSIONAL CLASSIC TANKLESS ELECTRIC



- CHINA
- RANGE: (3.5KW-36.0KW)
- Copper immersion heating element



PRODUC

- Simple installation
- Digital display
- External Control to adjust temperature 1°F





The best of both worlds – combining renewable and conventional electric technologies.

HYBRID WATER HEATER

Simple, low carbon packaged water heater







Capacities: 40G-80G









Practical, low carbon solutions for standalone or hybrid hot water systems..

HEAT PUMP RANGE

Delivering efficient hot water from renewable sources



- AustraliaA2W & W2W
- A2W: 70kw-244KW
- W2W: 71kw-212KW
- COP of up to 5.8 (A2W)
 & up to 6.8 (W2W)
- R134A Refrigerant









Market-leading series of Central Gas Water Heaters designed for direct hot water production.



RELIABLE, HIGH-QUALITY PERFORMANCE





- Mexico/USA
- 29G 98G
- Combustion Shut Off System
- Flame Arrestor Plate
- Guardian System[™] & Sensor
- EverKleen® patented System
- Protective Control System for flammable vapor





Modulating Water Heaters that Allows gas Savings DIGITAL WATER HEATERS



PRESTIGE

RELIABLE, HIGH-QUALITY PERFORMANCE

- CHILE
- 10L 16L
- Electronic Modulator
- Compatible with Solar
- Available for LPG & LNG
- Anti-return gas sensor
- Over Pressure Valve





Practical, low carbon solutions for standalone or hybrid hot water systems..



SOLAR THERMOSIPHON RANGE

Delivering efficient hot water from renewable sources

- Greece
- Double jacket Glass lined Tanks
- Solar Collector sizes 2.0 and 2.5 sqm.
- High absorption glass and special AR coatings.
- Standard RAL 9006 color & other options.
- T&P Safety Valve, Mixing Valve



solar keymark





We want to share our knowledge and know-how.



KNOWLEDGE IS POWER

- Accurate sizing is important
- Technical specifications
- Compliance statements
- Technical Literature
- Schematics and hydraulics
- CAD drawings



Thank you for listening [



Any Questions?

